


MULTILAYER CHIP BEAD ARRAYS / MCA TYPE

APPLICATIONS

- Noise elimination for four I/O lines of notebook PCs, digital TVs and VTRs, printers, hard disk drives, personal computers and other general consumer and computers products.

ORDERING CODE


MCA 3216 - 300 □-N



Note: lead-free
Tolerance (Y:±25%)
Impedance
Dimension (AxB)
Product Symbol



DIMENSIONS UNIT: mm (inch)



L	3.20 ± 0.20	m/m
W	1.60 ± 0.20	m/m
T	1.10 ± 0.20	m/m
P	0.80 ± 0.10	m/m
C1	0.40 ± 0.15	m/m
C2	0.30 ± 0.20	m/m

DIMENSIONS UNIT: mm (inch)

Part No.	L	W	T	P	C1	C2
MCA3216 (1206)	3.2 ± 0.20	1.60 ± 0.20	1.1 ± 0.20	0.8 ± 0.10	0.40 ± 0.15	0.30 ± 0.20

ELECTRICAL CHARACTERISTICS

Part No.	Impedance (Ω) AT 100 MHz	DC Resistance (Ω) Max	Rated Current (mA) Max
MCA 3216-300 □-N	30	0.20	500
MCA 3216-600 □-N	60	0.25	400
MCA 3216-900 □-N	90	0.30	300
MCA 3216-121 □-N	120	0.30	350
MCA 3216-151 □-N	150	0.35	200
MCA 3216-241 □-N	240	0.35	200
MCA 3216-301 □-N	300	0.40	250
MCA 3216-471 □-N	470	0.45	200
MCA 3216-601 □-N	600	0.50	200
MCA 3216-102 □-N	1000	0.75	150




CORE MASTER ENTERPRISE CO., LTD.


<http://www.coremaster.com.tw>

MULTILAYER CHIP BEAD ARRAYS / MCA TYPE


MCA3216-300Y-N




MCA3216-600Y-N




MCA3216-900Y-N



MCA3216-121Y-N



MCA3216-151Y-N




CORE MASTER ENTERPRISE CO., LTD.


<http://www.coremaster.com.tw>

MULTILAYER CHIP BEAD ARRAYS / MCA TYPE


MCA3216-241Y-N




MCA3216-301Y-N




MCA3216-471Y-N



MCA3216-601Y-N



MCA3216-102Y-N



CORE MASTER ENTERPRISE CO., LTD.

<http://www.coremaster.com.tw>