

LARGE CURRENT MULTILAYER CHIP BEADS / LCB TYPE

FEATURES

- ◆ Low DCR, small package
- ◆ High current handling capacity
- ◆ Nickel barrier terminations provide excellent solder heat resistance
- ◆ Suitable for flow and reflow soldering and high current applications




APPLICATIONS

- ◆ Electronic games
- ◆ Personal computers Hard disk drivers and other electronic equipments


ORDERING CODE

LCB 1608 - 121 □-N



Note: lead-free
Tolerance (Y:±25%)
Inductance
Dimension (AxB)
Product Symbol

DIMENSIONS (UNIT: mm)



A	1.6 ± 0.2	m/m
B	0.8 ± 0.2	m/m
C	0.8 ± 0.2	m/m
D	0.3 ± 0.2	m/m

CORE MASTER ENTERPRISE CO., LTD.


<http://www.coremaster.com.tw>



LARGE CURRENT MULTILAYER CHIP BEADS / LCB TYPE

ELECTRICAL CHARACTERISTICS LCB1608

Part No.	Impedance(Ω) AT 100MHz	DC Resistance(Ω) Max	Rated Current(A) Max
LCB 1608-100 □-N	10	0.030	4.0
LCB 1608-300 □-N	30	0.050	3.0
LCB 1608-600 □-N	60	0.050	3.0
LCB 1608-121 □-N	120	0.100	2.0
LCB 1608-221 □-N	220	0.150	1.5
LCB 1608-301 □-N	300	0.150	1.5
LCB 1608-601 □-N	600	0.300	1.0



CORE MASTER ENTERPRISE CO., LTD.

<http://www.coremaster.com.tw>

